

Official Amendment

Attorney Docket No.: SPF 0002 PA/41105.6/A1359
Application Number: 09/341,101

Official Amendment**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

RECEIVED
CENTRAL FAX CENTER


SEP 27 2004

Application of

Serial No. : 09/341,101
Applicant(s) : Lars Ericsson et al.
Filed: : August 18, 1999
Title : DEVICE AND METHOD FOR DETERMINING THE POSITION
OF A WORKING PART
Art Unit : 3661
Examiner : Olga Hernandez
Docket No. : SPF 0002 PA/41105.6
Confirmation No. : 4745

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF FACSIMILE TRANSMISSION
I hereby certify that this correspondence is being facsimile transmitted to
the Patent and Trademark Office at fax no. ((703) 872-9306) on,
September 27, 2004.


Kristina E. Swanson

53.657
Reg. No.

BEST AVAILABLE COPY

AMENDMENT

Madame:

This paper is being filed in response to the Office Action, dated June 25, 2004 in the identified application, having a reply due date of September 25, 2004.

Reconsideration of the present application is respectfully requested in light of the amendments and remarks below, which include, in order of appearance, beginning on separate sheets:

- Amendments to the Claims; and
- Remarks.

SEP 27 2004

Dinsmore & Shohl LLP
ATTORNEYS**FACSIMILE TRANSMITTAL**

September 27, 2004

from **KRISTINA E. SWANSON**

Direct: 937-449-6402 / Fax: 937-223-0724 / kristina.swanson@dinslaw.com

To: Examiner Olga Hernandez, Art Unit 3661**Firm:** Commissioner for Patents**Fax Number:** 703-872-9306**Client Number:** SPF 0002 PA/41105.6**Pages:** 21
(including cover)**Comments:** OFFICIAL OFFICIAL OFFICIAL

Application of

Serial No.	: 09/341,101
Applicant(s)	: Lars Ericsson et al.
Filed	: August 18, 1999
Title	: DEVICE AND METHOD FOR DETERMINING THE POSITION OF A WORKING PART
Art Unit	: 3661
Examiner	: Olga Hernandez
Docket No.	: SPF 0002 PA/41105.6
Confirmation No.	: 4745

If there are any problems in receiving this transmission, please call Evelyn M. Smart at (937) 449-6400 immediately. Thank you.

Notice

This message is intended only for the use of the individuals or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of this notice is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this notice in error, please notify us immediately by telephone and return these papers to us at the address below via first class mail.

Dayton • One Dayton Centre • One South Main Street, Suite 1300 • Dayton, OH 45402-2030 • Phone: (937) 449-6400

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.